



Certificate of Compliance

Certificate: 2699190

Master Contract: 260076

Project: 2699190

Date Issued: October 3, 2014

Issued to: CannaPack Solutions Inc.

906-120 Milross Ave
Vancouver, BC V6A 4K7
Canada
Attention: Gary Jackson

The products listed below are eligible to bear the CSA Mark shown



Sayward Fetterly

Issued by: Sayward Fetterly, Certifier

PRODUCTS

CLASS 8771 01 - CHILD RESISTANT PACKAGING

Child Resistant Packages, Type IIA, Lug Style, Non-liquid dispensing, Model "Canna Vault":

- 200 dram vial fits with 200 dram cap

Notes:

- Vial Colour: Sweet Pea Green, White and Leaf Green
- Cap Colour: White
- Liner Colour: Clear

APPLICABLE REQUIREMENTS

CSA Standard Z76.1-06 , Recloseable Child-Resistant Packages

Certification Notice, Health Care Equipment No. 21, Ref No. N10-155, Revision to Marking Requirements for CSA Standard Z76.1-06

CSA TECHNOTE TN-126, Test Method and Requirements for Reclosable Child-Resistant Packages, Non Liquid Dispensing for Type IIA and Type IIB



Supplement to Certificate of Compliance

Certificate: 2699190

Master Contract: 260076

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
2699190	Oct 3, 2014	Certification of Class 8771 01, Child Resistant Packages, Type IIA, Lug Style, Non-liquid dispensing, Model "Canna Vault", Size 200 dr vials fit with 200 dr cap, manufactured at Factory #4735210, as per CSA Std Z76.1-06.

Supplement Notes

Project 2699190: Certification of Class 8771 01, Child Resistant Packages, Type IIA, Lug Style, Non-liquid dispensing, Model "Canna Vault", Size 200 dr vials fit with 200 dr cap, Sweet Pea Green, White and Leaf Green vials, white cap and clear liners with alternate liner material, manufactured at Factory #4735210, Plascon Plastics Corp, 790 Audley Blvd, Delta, BC, V3M 5T1, Canada, as per CSA Standard Z76.1-06.

IFE successfully completed at Factory #4735210, Plascon Plastics Corp, 790 Audley Blvd, Delta, BC, V3M 5T1, Canada, as per CSA Standard Z76.1-06 on September 10, 2014.